

Saluki PN	Description	Switch Type	Freq. Min.(GHz)	Freq. Max.(GHz)	Insertion Loss Max.(dB)	VSWR Max.	Isolation Min.(dB)	RF Input Power Max.(dBm)	Speed(ns)
SSA0204000800F	Absorptive Switch	SP2T	4	8	2.0	1.5	75	5	500
SSA0401000600A	Absorptive Switch	SP4T	1	6	2.0	1.6	55	1	100
SSA0202001800B	Absorptive Switch	SP2T	2	18	2.2	1.6	65	1	100
SSA0308004350A	Absorptive Switch	SP3T	8	43.5	3	2	53	23dBm	50
SSA0200150016B	Absorptive Switch	SP2T	0.155	0.165	0.35	1.2	40	140	2000
SSA0800104000B	Absorptive Switch	SP8T	0.1	40	11	2.5	65	0.2	100
SSA0601001800B	Absorptive Switch	SP6T	1	18	3.5	1.5	70	1	50
SSA0200021800B	Hermetically Sealed Absorptive Switch	SP2T	0.02	18	4.5	1.8	60	1	250
SSA0300021800B	Hermetically Sealed Absorptive Switch	SP3T	0.02	18	3.5	1.5	75	1	250
SSA0400105000A	Absorptive Switch	SP4T	0.1	50	5.5	2.5	55	0.2	100
SSA0204000800D	Absorptive Switch	SP2T	4	8	1.3	1.2	85	1	100
SSR0202000400F	Reflective Switch	SP2T	2	4	1.5	1.5	80	1	100
SSA0200504350D	USB/Ethernet Absorptive Switch	SP2T	0.5	43.5	5.2	2.8	55	0.2	
SSA0800021800B	Absorptive Switch	SP8T	0.02	18	6.0	2.0	60	1	250
SSR0206001350A	Reflective Switch	SP2T	6	13.5	1.2	1.5	55	20	350
SSR0401002600B	Reflective Switch	SP4T	1	26	2.5	1.6	70	23dBm	100
SSA0202001800K	Hermetically Sealed Absorptive Switch	SP2T	2	18	2.5	2.0	40	1	100
SSA0800105000C	Absorptive Switch	SP8T	0.1	50	13	2.5	70	0.5	100
SSA0200150016A	Absorptive Switch	SP2T	0.155	0.165	0.35	1.3	40	1	1000
SSR0200006000A	Reflective Switch	SP2T	0.001	60	4.5	2.8	33	0.2	50
SSA0600500400B	USB/Ethernet Absorptive Switch	SP6T	0.5	6	2.5	1.5	60	30	
SSA0100501800B	Absorptive Switch	SPST	0.5	18	2.0	1.5	80	1	100
SSA0202001800J	Absorptive Switch	SPST	2	18	1.6	1.5	75	1	100
SSA1212001800A	Absorptive Switch	SP12T	12	18	4.5	2.0	65	1	100
SSA0200802000A	Absorptive Switch	SP2T	0.8	20	3.2	2.0	70	1	100
SSA0200504350A	Absorptive Switch	SP2T	0.5	43.5	5.2	2.8	55	0.2	60
SSA0200105000A	Absorptive Switch	SP2T	0.1	50	7.5	2.5	50	0.2	50
SSA0250007500A	Absorptive Switch	SP2T	50	75	3	2	30	0.5	100
SSA0800050600D	Hermetically Sealed Absorptive Switch	SP8T	0.05	6	3.2	1.7	60	1	500
SSA0200000020A	Absorptive Switch	SP2T	0.001	0.2	1.3	1.5	70	1	250
SSA0400021800C	Hermetically Sealed Absorptive Switch	SP4T	0.02	18	4.5	1.5	60	1	100
SSA0200000100B	Absorptive Switch	SP2T	0.001	1	1.5	1.5	80	1	1000

SSA0201000200A	Absorptive Switch	SP2T	1	2	1.0	1.5	80	1	100
SSA0200020300B	Absorptive Switch	SP2T	0.02	3	1.8	1.5	70	1	2500
SSA0200020300A	Absorptive Switch	SP2T	0.02	3	2.0	1.5	70	1	500
SSA0200500400A	Absorptive Switch	SP2T	0.5	4	1.5	1.5	60	1	100
SSA0202000400F	Absorptive Switch	SP2T	2	4	1.3	1.3	85	1	100
SSA0202000400G	Absorptive Switch	SP2T	2	4	1.0	1.3	85	1	100
SSR0401002600A	Hermetically Sealed Reflective Switch	SP4T	1	26	3.0	1.6	55	0.2	100
SSA0200000450A	Absorptive Switch	SP2T	0.001	4.5	4.0	1.8	70	1	2500
SSA0202000800A	Absorptive Switch	SP2T	2	8	2.0	2.0	60	1	100
SSA0204000800C	Absorptive Switch	SP2T	4	8	1.5	1.3	80	1	50
SSA0206001200A	Absorptive Switch	SP2T	6	12	2.0	1.3	80	1	50
SSA0200021800A	Absorptive Switch	SP2T	0.02	18	4.8	1.8	60	1	200
SSA0201001800A	Absorptive Switch	SP2T	1	18	3.0	1.8	70	1	100
SSA0202001800A	Absorptive Switch	SP2T	2	18	2.6	2.0	60	1	100
SSA0215001800A	Absorptive Switch	SP2T	15	18	3.5	2.0	60	0.5	250
SSA0202002000A	Absorptive Switch	SP2T	2	20	3.0	1.8	70	1	100
SSA0202003600A	Absorptive Switch	SP2T	2	36	5.0	2.2	60	0.2	50
SSR0252007200A	Reflective Switch	SP2T	52	72	3.5	2.2	37	0.1	100
SSA0208004000A	Absorptive Switch	SP2T	8	40	4.5	2.2	50	0.2	50
SSA0218004000A	Absorptive Switch	SP2T	18	40	5.0	2.0	50	0.2	50
SSR0200000020A	Reflective Switch	SP2T	0.001	0.2	0.6	1.18	80	1	5500
SSR0200020050B	Reflective Switch	SP2T	0.02	0.5	1.5	1.5	50	100	500
SSR0200020050C	Reflective Switch	SP2T	0.02	0.5	1	1.3	50	150	2500
SSR0200000100A	Reflective Switch	SP2T	0.001	1	1.5	1.5	80	1	500
SDS0400504350A	Absorptive Switch	DPDT	0.5	43.5	6.5	3.0	40	0.2	100
SSR0400006000A	Reflective Switch	SP4T	0.001	60	10	2.5	35	0.03	100
SSA0402001000A	Absorptive Switch	SP4T	2	10	1.7	1.5	75	1	100
SSR0201340140A	Reflective Switch	SP2T	1.34	1.4	1.0	1.3	80	1	100
SSR0200400180A	Reflective Switch	SP2T	0.4	1.8	0.5	1.3	85	5	100
SSR0201000200A	Reflective Switch	SP2T	1	2	0.8	1.3	80	1	100
SSR0200500600D	Reflective Switch	SP2T	0.5	6	1.5	1.3	45	100	100
SSR0206001200A	Reflective Switch	SP2T	6	12	1.8	1.5	80	1	100
SSR0202001800A	Reflective Switch	SP2T	2	18	2.0	1.8	80	1	100

SSR0202005000A	Reflective Switch	SP2T	2	50	6.0	2.0	45	0.5	100
SSR0201000200B	Reflective Switch	SP2T	1	2	1.5	1.5	40	70	10000
SSR0200020255A	Reflective Switch	SP2T	0.02	2.55	1.2	1.5	50	200	5000
SSR0202000400C	Reflective Switch	SP2T	2	4	1.5	1.3	45	50	1000
SSR0200001200B	Reflective Switch	SP2T	DC	12	2.0	2.0	30	20	100
SSR0202000400D	Reflective Switch	SP2T	2	4	1	1.5	45	50	2000
SSA0106001200C	Absorptive Switch	SPST	6	12	2.0	1.5	75	1	100
SSR0200000600A	Reflective Switch	SP2T	DC	6	1.3	1.3	33	40	100
SSR0200500600A	Reflective Switch	SP2T	0.5	6	1.3	1.4	40	100	100
SSR0204000800B	Reflective Switch	SP2T	4	8	1.5	1.5	80	1	100
SSR0200001200A	Reflective Switch	SP2T	DC	12	2.0	1.6	35	25	100
SSR0208001800A	Hermetically Sealed Reflective Switch	SP2T	8	18	3.5	2.0	50	150	250
SSR0200001800A	Reflective Switch	SP2T	DC	18	2.3	2.0	22	40	250
SSR0200802000A	Reflective Switch	SP2T	0.8	20	1.5	1.8	80	0.5	100
SSA0300504350A	Absorptive Switch	SP3T	0.5	43.5	4.5	2.0	60	0.6	50
SSA0300505000A	Absorptive Switch	SP3T	0.5	50	4.5	2	53	0.2	50
SSA0300020100A	Absorptive Switch	SP3T	0.02	1	1.6	1.5	80	0.6	200
SSA0301000200A	Absorptive Switch	SP3T	1	2	1.3	1.2	80	1	100
SSA0302000400A	Absorptive Switch	SP3T	2	4	1.8	1.3	80	0.6	100
SSA0300800600A	Absorptive Switch	SP3T	0.8	6	1.6	1.4	60	1	100
SSA0302000800A	Absorptive Switch	SP3T	2	8	1.8	1.3	70	1	100
SSA0306001200A	Absorptive Switch	SP3T	6	12	2.4	1.5	60	1	50
SSA0300021800A	Absorptive Switch	SP3T	0.02	18	4.8	1.8	60	1	250
SSA0301001800A	Absorptive Switch	SP3T	1	18	3	1.5	65	1	50
SSA0302001800A	Absorptive Switch	SP3T	2	18	3.6	2.2	60	1	50
SSA0306001800C	Absorptive Switch	SP3T	6	18	3.2	1.8	60	1	100
SSA0315001800A	Absorptive Switch	SP3T	15	18	2.5	2	70	10	1000
SSA0201000600A	Absorptive Switch	SP2T	1	6	2.0max	2.0max	50min	1	200
SSA0802005000C	USB/Ethernet Absorptive Switch	SP8T	2	50	10.0	3	43	0.2	
SSA0400505000A	USB/Ethernet Absorptive Switch	SP4T	0.5	50	7.0	2.5	40	0.2	
SSR0300020100A	Reflective Switch	SP3T	0.02	1	1.5	1.5	60	0.3	250
SSR0302000400C	Reflective Switch	SP3T	2	4	1	1.5	45	50	2000
SSR0306001200A	Reflective Switch	SP3T	6	12	2.0	1.5	80	1	100

SSR0313001400A	Reflective Switch	SP3T	13	14	2.5	1.5	40	10	500
SSR0300050100A	Reflective Switch	SP3T	0.05	1	0.5	1.5	50	200	5000
SSR0300000600A	Reflective Switch	SP3T	DC	6	2.0	1.5	35	40	250
SSR0300021800A	Reflective Switch	SP3T	0.02	18	4.8	1.8	70	1	200
SSA0400504350A	Absorptive Switch	SP4T	0.5	43.5	6.0	3.0	50	0.2	80
SSA0402005000A	Absorptive Switch	SP4T	2	50	4.0	2.5	50	0.5	50
SSA0400000020A	Absorptive Switch	SP4T	0.001	0.2	1.3	1.4	70	1	5500
SSR0200020300F	Reflective Switch	SP2T	0.02	3	1.5	1.6	60	5	500
SSA0400020100A	Absorptive Switch	SP4T	0.02	1	1.7	1.5	80	1	900
SSA0401000200A	Absorptive Switch	SP4T	1	2	1.2	1.5	80	1	50
SSA0400020300A	Absorptive Switch	SP4T	0.02	3	1.8	1.5	60	1	1000
SSA0400500400B	Absorptive Switch	SP4T	0.5	4	1.5	1.5	75	1	100
SSA0402000400A	Absorptive Switch	SP4T	2	4	1.4	1.5	80	1	100
SSA0400010600A	Absorptive Switch	SP4T	0.016	6	2.6	1.5	60	1	1000
SSA1201500450A	Absorptive Switch	SP12T	1.5	4.5	2.0	1.5	75	1	120
SSA0402000800A	Absorptive Switch	SP4T	2	8	2.2	1.5	80	1	100
SSA0406001200A	Absorptive Switch	SP4T	6	12	2.5	1.4	60	1	50
SSA0408001200A	Absorptive Switch	SP4T	8	12	2.6	1.8	60	1	50
SSA0400021800A	Absorptive Switch	SP4T	0.02	18	4.5	2.0	60	1	250
SSA0400501800B	Absorptive Switch	SP4T	0.5	18	3.5	2.0	70	1	100
SSA0400501800A	Absorptive Switch	SP4T	0.5	18	3.5	2.0	60	1	100
SSA0401001800A	Absorptive Switch	SP4T	1	18	3.5	2.0	60	1	100
SSA0402001800C	Absorptive Switch	SP4T	2	18	2.7	1.5	75	1	100
SSA0406001800A	Absorptive Switch	SP4T	6	18	3.2	1.8	60	1	50
SSA0402002000A	Absorptive Switch	SP4T	2	20	3.5	2.0	60	1	100
SSR0401000200A	Reflective Switch	SP4T	1	2	1.0	1.5	80	1	100
SSR0402002000A	Reflective Switch	SP4T	2	20	2.7	1.6	80	1	100
SSR0402002000B	Reflective Switch	SP4T	2	20	3.5	1.8	70	1	100
SSR0400050100A	Reflective Switch	SP4T	0.05	1	0.5	1.5	50	200	5000
SSA0400504350B	USB/Ethernet Absorptive Switch	SP4T	0.5	43.5	6.0	3.0	45	23	
SSA0300100060B	Absorptive Switch	SP3T	0.1	0.6	0.5	1.2	85	1	500
SSA0230009000A	Absorptive Switch	SP2T	30	90	14	3.5	25	0.3	250
SSA1008001200A	Absorptive Switch	SP10T	8	12	4.5	1.7	70	1	100

SSR0400500400A	Reflective Switch	SP4T	0.5	4	1.5	1.5	75	1	100
SSR0400000600A	Reflective Switch	SP4T	DC	6	2.0	1.5	30	40	100
SSR0400500600A	Reflective Switch	SP4T	0.5	6	2	2	40	100	50
SSR0402000800A	Reflective Switch	SP4T	2	8	2.0	1.5	80	1	100
SSR0400001200A	Reflective Switch	SP4T	DC	12	1.8	2	70	20	18
SSR0400021800A	Reflective Switch	SP4T	0.02	18	4.5	2.0	60	1	100
SSR0402001800A	Reflective Switch	SP4T	2	18	2.8	1.8	70	1	100
SSA0600100850A	Absorptive Switch	SP6T	0.1	8.5	2.2	1.5	75	1	100
SSR0406001800A	Reflective Switch	SP4T	6	18	2.8	2.0	70	1	100
SSR0400001800A	Reflective Switch	SP4T	DC	18	4.0	2.0	30	10	100
SSA0600104350A	Absorptive Switch	SP6T	0.1	43.5	8.5	3.0	48	0.1	100
SSA0500504350A	Absorptive Switch	SP5T	0.5	43.5	6.0	2.0	60	0.2	50
SSA0500105000A	Absorptive Switch	SP5T	0.1	50	8.0	2.2	60	0.6	50
SSA0500000020A	Absorptive Switch	SP5T	0.001	0.2	1.6	1.5	60	1	5.5us
SSA0500000050A	Absorptive Switch	SP5T	0.02	0.5	1.6	1.5	80	1	250
SSR0204001200A	Reflective Switch	SP2T	4	12	1.5	1.5	50	50	1000
SSR0200170040B	Reflective Switch	SP2T	0.17	0.405	0.5	1.4	67	100	800
SSA0200505000A	USB/Ethernet Absorptive Switch	SP2T	0.1	50	7.5	2.5	50	0.2	
SMT0200004000Y	Electro-Mechanical Switch	SPDT	DC	40	1.0	1.8	80	1	20ms
SSA0501001800A	Absorptive Switch	SP5T	1	18	3.5	1.8	60	1	100
SSA0401001800C	Absorptive Switch	SP4T	1	18	2.2	1.6	75	1	100
SSA0202003600B	USB/Ethernet Absorptive Switch	SP2T	2	36	5.0	2.0	45	0.2	
SSR0502000800A	Reflective Switch	SP5T	2	8	2.0	1.8	60	1.2	100
SSR0506001800A	Reflective Switch	SP5T	6	18	3.0	1.7	60	1	50
SSA0600504350A	Absorptive Switch	SP6T	0.5	43.5	8.5	2.5	55	0.2	50
SSA0202000400B	Absorptive Switch	SP2T	2	4	1.2	1.5	80	5	100
SSA0602000800A	Absorptive Switch	SP6T	2	8	2.4	2	60	1	50
SSA0600021800A	Absorptive Switch	SP6T	0.02	18	6.0	2.0	60	1	100
SSA0200500400E	Absorptive Switch	SP2T	0.5	4	1.5	1.35	80	1	100
SSA0606001800B	Absorptive Switch	SP6T	6	18	3.5	2.0	60	1	100
SSA0602002000A	Absorptive Switch	SP6T	2	20	4.1	2.2	60	1	50
SSR0800500600A	Reflective Switch	SP8T	0.6	6	1.8	1.5	55	100	1000
SSR0606001800A	Reflective Switch	SP6T	6	18	3.5	2	60	1~10	100

SSR0600021800A	Reflective Switch	SP6T	0.02	18	6.0	2.0	60	1	100
SSA0802001000A	Absorptive Switch	SP8T	2	10	2.2	1.4	75	1	100
SSA0200504350B	Absorptive Switch	SP2T	0.5	43.5	5.0	2.5	50	0.5	60
SSR0200000100C	Reflective Switch	SP2T	0.001	1	1.5	1.5	65	5	5000
SMT0200005000W	Mechanical Switch	SP2T	DC	50	0.8	1.5	77	1	20000
SSA0400105000B	Absorptive Switch	SP4T	0.1	50	5.5	2.5	55	0.2	100
SSR0200020300E	Reflective Switch	SP2T	0.02	3	1.8	1.6	60	5	100
SSA0800504350A	Absorptive Switch	SP8T	0.5	43.5	8.5	2.0	60	0.2	50
SSA0800055000A	Absorptive Switch	SP8T	0.05	50	8.5	2.5	50	0.2	100
SSA0802005000A	Absorptive Switch	SP8T	2	50	7.3	2.5	55	0.2	100
SSA0801000200A	Absorptive Switch	SP8T	1	2	2.0	1.5	80	1	100
SSA0800020300A	Absorptive Switch	SP8T	0.02	3	2.2	1.5	65	1	50
SSA0800500400A	Absorptive Switch	SP8T	0.5	4	2.0	1.5	60	1	100
SSA0802000400A	Absorptive Switch	SP8T	2	4	2.0	1.5	80	1	100
SSA0200104000A	Absorptive Switch	SP2T	0.1	40	4.0	2.5	60	0.2	50
SSA0800050600C	Absorptive Switch	SP8T	0.05	6	3.2	1.7	60	1	100
SSA0802000800A	Absorptive Switch	SP8T	2	8	2.8	1.6	60	1	100
SSA0804000800B	Absorptive Switch	SP8T	4	8	2.0	1.6	80	1	100
SSA0806001200B	Absorptive Switch	SP8T	6	12	3.0	1.5	80	2	100
SSA0800021800A	Absorptive Switch	SP8T	0.02	18	6.0	1.8	60	1	250
SSA0801001800A	Absorptive Switch	SP8T	1	18	3.5	1.8	60	1	100
SSA0802001800A	Absorptive Switch	SP8T	2	18	4.0	2.0	80	1.5	100
SSA0802002000A	Absorptive Switch	SP8T	2	20	4.0	2.0	80	1	1000
SSR0804000800A	Reflective Switch	SP8T	4	8	2.0	1.6	65	1	50
SSR0802001800A	Reflective Switch	SP8T	2	18	3.5	2.0	80	1.5	100
SSR0800000600B	Reflective Switch	SP8T	DC	6	4.5	2.0	35	100	250
SSR0800001200A	Reflective Switch	SP8T	DC	12	3	2	90	20	18
SSR0800001800A	Reflective Switch	SP8T	DC	18	4	2	80	10	18
SSR0800802000A	Reflective Switch	SP8T	0.8	20	5.0	1.7	60	1	200
SSA0100504350A	Absorptive Switch	SPST	0.5	43.5	4.8	2.0	60	0.5	50
SSA0100020100A	Absorptive Switch	SPST	0.02	1	1.0	1.5	80	1	550
SSA0101000200A	Absorptive Switch	SPST	1	2	1.0	1.3	80	1	100
SSA0206001200H	Hermetically Sealed Absorptive Switch	SP2T	6	12	2.0	1.5	80	1	100

SSA0100020300A	Absorptive Switch	SPST	0.02	3	1.5	1.5	80	1	200
SSA0100500400A	Absorptive Switch	SPST	0.5	4	1.5	1.5	80	1	100
SSA0102000400A	Absorptive Switch	SPST	2	4	1.2	1.4	80	1	100
SSA0100090570A	Absorptive Switch	SPST	0.09	5.7	2.8	1.5	70	1	100
SSA0100090570B	Absorptive Switch	SPST	0.09	5.7	1.8	1.5	80	1	250
SSA0102000800A	Absorptive Switch	SPST	2	8	1.2	1.5	80	1	100
SSA0106001200A	Absorptive Switch	SPST	6	12	1.5	1.5	80	1	100
SSA0100021800A	Absorptive Switch	SPST	0.02	18	4.8	2.0	60	1	250
SSA0100501800A	Absorptive Switch	SPST	0.5	18	2.0	1.8	80	1	50
SSA0101001800A	Absorptive Switch	SPST	1	18	2.5	1.8	80	1	100
SSA0102001800A	Absorptive Switch	SPST	2	18	2.0	1.6	70	1	100
SSA0112001800A	Absorptive Switch	SPST	12	18	2.2	1.5	80	1	100
SSA0101002000A	Absorptive Switch	SPST	1	20	3.0	1.8	80	1	100
SSA0102002000A	Absorptive Switch	SPST	2	20	2.8	1.8	80	1	100
SSA0108004000A	Absorptive Switch	SPST	8	40	3.8	2.5	80	0.5	50
SSA0118004000A	Absorptive Switch	SPST	18	40	4.5	2.5	50	0.5	50
SSR0101000200A	Reflective Switch	SPST	1	2	0.8	1.3	80	1	100
SSR0100500400A	Reflective Switch	SPST	0.5	4	1.0	1.2	85	1	100
SSR0102000800A	Reflective Switch	SPST	2	8	1	1.5	80	1~10	100
SSR0102001800A	Reflective Switch	SPST	2	18	2.0	1.8	70	1	100
SSR0200500600B	Reflective Switch	SP2T	0.5	6	1.5	1.5	40	50	100
SSA0212001800A	Reflective Switch	SP2T	12	18	3.0	1.8	55	0.25	100
SSR0400110014A	Absorptive Switch	SP4T	0.12	0.14	5.1	1.3	40	0.01	500
SSA0402001800E	Absorptive Switch	SP4T	2	18	2.1	1.6	65	1	100
SSA0402001800B	Absorptive Switch	SP4T	2	18	2.7	1.5	75	1	100
SSA0200500400D	Absorptive Switch	SP2T	0.5	4	1.2	1.3	85	5	100
SSA0400502600A	Absorptive Switch	SP4T	0.5	26.5	4.5	2.3	45	0.2	100
SSA0800500400C	Absorptive Switch	SP8T	0.5	4	2.0	1.35	80	1	100
SSA0400104000C	Absorptive Switch	SP4T	0.1	40	7.0	3.0	70	0.5	100
SSR0200230030A	Reflective Switch	SP2T	0.23	0.30	0.4	1.2	65	125	1200
SSR0200001800B	Reflective Switch	SP2T	DC	18	2.3	2.0	21	40	250
SSA0402001800D	Absorptive Switch	SP4T	2	18	3.3	1.5	70	1	100
SSA0100020300B	Absorptive Switch	SPST	0.02	3	1.3	1.5	80	1	250

SSA0202001800F	Absorptive Switch	SP2T	2	18	3.0	2.0	60	1	50
SSA0800504000B	Absorptive Switch	SP8T	0.5	40	8.5	2.5	65	0.5	50
SSA1000500200A	Absorptive Switch	SP10T	0.5	2	1.5	1.3	80	1	100
SSA0200501200A	Absorptive Switch	SP2T	0.5	12	2.5	1.8	80	1	100
SSA0201000210A	Absorptive Switch	SP2T	1	2.1	1.0	1.5	80	1	100
SSA0405000800A	Absorptive Switch	SP4T	5	8	2.2	1.3	60	0.3	60
SSA0205000800A	Absorptive Switch	SP2T	5	8	1.5	1.8	65	1	100
SSA0600201800H	Absorptive Switch	SP6T	0.2	18	4.5	1.8	60	1	100
SSA0800021800C	USB/Ethernet Absorptive Switch	SP8T	0.02	18	6.0	1.8	60	30	
SSA0800504350B	Absorptive Switch	SP8T	0.5	43.5	8	2	60	0.2	50
SSR0200010600B	Hermetically Sealed Reflective Switch	SP2T	0.01	6	1.6	1.5	28	40	200
SSA0200802000B	Absorptive Switch	SP2T	0.8	20	3.0	1.8	60	1	100
SSA0802004500A	Absorptive Switch	SP8T	2	45	5.5	2.2	65	23dBm	100
SSA0400021800F	Absorptive Switch	SP4T	0.02	18	4.5	2.0	60	1	100
SSA0204000800A	Absorptive Switch	SP2T	4	8	2.0	1.5	80	5	100
SSA0200300050A	Reflective Switch	SP2T	0.3	0.5	1.8	1.5	75		500
SSR0200100025A	Reflective Switch	SP2T	0.1	0.25	0.4	1.25	65	300	1200
SSR0452007200A	Reflective Switch	SP4T	52	72	7.5	2.8	30	0.1	100
SSA2402001800A	Absorptive Switch	SP24T	2	18	6.8	1.6	68	1	120
SSA0201000200B	Hermetically Sealed Absorptive Switch	SP2T	1	2	1.0	1.5	80	1	100
SSA0800504000C	Absorptive Switch	SP8T	0.5	40	6.5	2.5	55	0.2	50
SSA1600504350A	Absorptive Switch	SP16T	0.5	43.5	8	2.5	60	0.2	100
SSR0200200035A	Reflective Switch	SP2T	0.2	0.35	1.0	1.5	35	80	1000
SSR0200500600E	Reflective Switch	SP2T	0.6	6	1.2	1.5	60	100	400
SSR0201002600A	Hermetically Sealed Absorptive Switch	SP2T	1	26	4.0	2.5	47	0.2	60
SSR0100800150A	Reflective Switch	SPST	0.8	1.5	1.0	1.3	60	50	1000
SSA0802001800B	Absorptive Switch	SP8T	2	18	4.0	1.8	75	1.5	100
SSR0200501800A	Reflective Switch	SP2T	0.5	18	3.5	2.0	60	1	100
SSR0200020050A	Reflective Switch	SP2T	0.02	0.5	0.9	1.2	60	100	2500
SSA0202001800G	Absorptive Switch	SP2T	2	18	2.6	1.8	65	1	100
SSA0400021800G	Hermetically Sealed Absorptive Switch	SP4T	0.02	18	4.5	2.0	60	1	100
SSA0400500400C	Absorptive Switch	SP4T	0.5	4	1.5	1.35	80	1	100
SDS0400001800A	Absorptive Switch	DPDT	DC	18	3.5	2.0	40	10	500

SSA0405000600A	Absorptive Switch	SP4T	5	6	3.2	1.5	70	0.5	100
SSA0400400600A	Absorptive Switch	SP4T	0.4	6	2.5	1.4	80	1	100
SSA0400201800H	Absorptive Switch	SP4T	0.2	18	4.5	1.8	60	1	100
SSR0200010600A	Reflective Switch	SP2T	0.01	6	1.1	1.3	28	40	100
SSR0200105000A	Reflective Switch	SP2T	0.1	50	7.5	2.5	50	0.2	50
SSA0400021800E	Hermetically Sealed Absorptive Switch	SP4T	0.02	18	3.1	1.5	70	1	100
SSA0800502600A	Absorptive Switch	SP8T	0.5	26.5	5.5	2.8	45	0.2	100
SSA0402005000B	USB/Ethernet Absorptive Switch	SP4T	2	45	6.5	2.5	55	0.2	
SSR0852007200A	Reflective Switch	SP8T	52	72	12	2.5	35	0.2	100
SSR0516004800A	Reflective Switch	SP5T	16	48	8.0	2.8	50	0.55	50
SSA0300500400B	USB/Ethernet Absorptive Switch	SP3T	0.5	4	2.0	1.5	70	1	
SSA0800505000A	USB/Ethernet Absorptive Switch	SP8T	0.1	50	7.5	2.5	55	0.2	
SSR0200004000D	Reflective Switch	SP2T	DC	40	4.0	1.6	35	0.32	55
SSA0204000800E	Absorptive Switch	SP2T	4	8	2.2	1.5	60	5	250
SSA0200502600A	Absorptive Switch	SP2T	0.5	26.5	4.5	2.8	45	0.2	100
SSA0400021800H	Absorptive Switch	SP4T	0.02	18	4.5	2.0	65	30	250
SSA0701500450A	Absorptive Switch	SP7T	1.4	4.5	2.0	1.5	60	1.5	150
SSA0402001800A	Absorptive Switch	SP4T	2	18	2.2	1.5	75	1	100
SSR0250009000A	Reflective Switch	SP2T	60	90	5.5	2.5	27	0.2	100
SSA0204000800B	Absorptive Switch	SP2T	4	8	1.5	1.5	80	1	100
SSA0300800600B	USB/Ethernet Absorptive Switch	SP3T	0.8	6	1.7	1.5	60	1	
SSA0400104000A	Absorptive Switch	SP4T	0.1	40	7	2.5	70	0.5	100
SSA0100504350C	Absorptive Switch	SPST	0.5	43.5	4.8	2.4	60	0.5	50
SSA0200500400B	Absorptive Switch	SP2T	0.5	4	1.1	1.3	80	1	100
SSR0202000400B	Reflective Switch	SP2T	2	4	0.8	1.2	52	15	500
SSR0200170040A	Reflective Switch	SP2T	0.17	0.405	0.5	1.4	65	100	1200
SSA0800105000A	Absorptive Switch	SP8T	0.1	50	10.0	2.5	65	0.5	100
SSA0407600850A	Absorptive Switch	SP4T	7.6	8.5	2.5	1.5	60	1	100
SSA0200501800A	Absorptive Switch	SP2T	0.5	18	3.5	2.0	60	1	100
SSA0100500400B	Absorptive Switch	SPST	0.5	4	1.5	1.5	80	1	100
SSR0200007500A	Reflective Switch	SP2T	0.001	75	6.0	2.5	30	15dBm	400
SSA0200504350E	Absorptive Switch	SP2T	0.5	43.5	5.2	1.8	55	0.2	100
SSA0200400050A	Absorptive Switch	SP2T	0.4	0.5	0.4	1.1	80	1	50

SSR0200500600C	Reflective Switch	SP2T	0.5	6	1.3	1.6	38	50	250
SSA0200000100A	Absorptive Switch	SP2T	0.014	1	1.5	1.6	65	5	3200
SSA0400104000B	Absorptive Switch	SP4T	0.1	40	7.0	3	70	0.2	100
SSA0801001800B	USB/Ethernet Absorptive Switch	SP8T	1	18	3.2	2.0	60	1	
SSA0800104000C	Absorptive Switch	SP8T	0.1	40	11	2.5	65	0.2	100
SSA0218004000B	Hermetically Sealed Absorptive Switch	SP2T	18	40	4.5	3.0	45	0.2	50
SSA0400104000D	Absorptive Switch	SP4T	0.1	40	5.0	2.5	55	0.2	50
SSR0200700090A	Reflective Switch	SP2T	0.7	0.9	0.3	1.2	85	1	70
SSR1201004000A	Reflective Switch	SP12T	1	43.5	9.0	2.5	50	0.2	100
SSA0800105000B	Absorptive Switch	SP8T	0.1	50	10.0	2.5	55	0.5	100
SSA0200021800D	Hermetically Sealed Absorptive Switch	SP2T	0.02	18	4.2	1.5	67	1	100
SSR0220003200A	Reflective Switch	SP2T	20	32	3.0	2.0	50	0.2	50
SSA0100105000A	Absorptive Switch	SPST	0.1	50	5.5	2.1	60	0.5	50
SSA0802005300A	Absorptive Switch	SP8T	2	53	10.5	2.5	45	0.2	100
SSA0200500400C	Absorptive Switch	SP2T	0.5	4	1.5	1.5	70	5	500
SSR0802001200B	Reflective Switch	SP8T	2	12	1.8	1.6	70	1	100
SSR0400100052A	Reflective Switch	SP4T	0.1	0.52	0.8	1.5	50	100	500
SSR0200100030A	Reflective Switch	SP2T	0.05	0.7	1.1	1.7	60	100	1200