

FA Lens

■ Features

- Suitable for multiple sensors of 1/1.8", 2/3", 1", 1.1", 1.2", 4/3"
- A full range of common focal lengths from f2.8mm to f100mm
- Fixed focus, zoom, visible light and short wave infrared
- High Resolution from 5M to 25M
- Compact, Robust, Cost effective



Custom requirements and OEM solutions are available, such as magnification, wavelength, focal length, working distance, FOV, etc.

■ Specifications

Model	f(mm)	F.NO	IF(mm)	Resolution	Mount
F02816	2.8	1.6~16	1/1.8"	10M	CS-Mount
F0418	4	1.8~16	1/1.8"	10M	C-Mount
F0516	5	1.6~16	1/1.7"	5M	C-Mount
F0816	8	1.6~16	2/3"	5M	C-Mount
F0818	8	1.8~16	1"	10M	C-Mount
F1214	12	1.4~16	2/3"	5M	C-Mount
F1216	12	1.6~16	2/3"	5M	C-Mount
F1220	12	2.0~16	4/3"	20M	C-Mount
F1616	16	1.6~16	2/3"	5M	C-Mount
F1614	16	1.4~16	1"	10M	C-Mount
LS1624	16	2.4~11	2/3"	8M	C-Mount
F2020	20	2.0~16	1"	10M	C-Mount
LS2035	20	3.5~11	1.2"	25M	C-Mount
F2514-5	25	1.4~16	2/3"	5M	C-Mount
F2514	25	1.4~16	1"	10M	C-Mount
LS2524	25	2.4~16	2/3"	8M	C-Mount
LS2528	25	2.8~16	1.2"	25M	C-Mount
F3517	35	1.7~16	2/3"	5M	C-Mount
F3514	35	1.4~16	1"	10M	C-Mount
LS3524	35	2.4~16	2/3"	8M	C-Mount
LS3528	35	2.8~16	1.2"	25M	C-Mount
F5018	50	1.8~22	2/3"	5M	C-Mount
F5014	50	1.4~16	1"	8M	C-Mount
F5025	50	2.5~22	1"	16M	C-Mount
LS5024	50	2.4~16	2/3"	8M	C-Mount
LS5025	50	2.5~16	1.2"	25M	C-Mount
F7528-8	75	2.8~16	1"	8M	C-Mount
F7528-10	75	2.8~16	1"	10M	C-Mount
F10035	100	3.5~32	1"	8M	C-Mount
SWIR08514	8.5	1.4~16	2/3"	100lp/mm	C-Mount
SWIR12514	12.5	1.4~16	2/3"	100lp/mm	C-Mount
SWIR1614S	16	1.4~11	1"	100lp/mm	C-Mount
SWIR2520	25	2.0~16	2/3"	100lp/mm	C-Mount
SWIR2514S	25	1.4~16	1"	100lp/mm	C-Mount
SWIR3514	35	1.4~16	2/3"	100lp/mm	C-Mount
SWIR3514S	35	1.4~11	1"	100lp/mm	C-Mount
SWIR4514S	45	1.4~16	28mm	100lp/mm	C-Mount
SWIR5014	50	1.4~16	2/3"	100lp/mm	C-Mount